INDEX

A

Acclimation, in a copepod, 177
ACHE, B. W. See Z. M. Fuzessery, 226
Acid phosphatase, in life cycle of *Panagrellus silusiae*, 374
Aging, and the relative activity of acid phosphatase isozymes in a nematode, 374
ALKON, D. L. See J. F. Harrigan, 430
Amino acid uptake, in *Dendraster excentricus*, 335
Ammonia, effect of ionized and un-ionized, on growth of prawn larvae, 15
  toxicity to larval shrimp, 15
Amphibian reproduction, 198
Amphioplus abditus, skeletal development, 79
ANDERSON, J. M. Studies on functional morphology in the digestive system of *Oreaster reticulatus* (L.) (Asteroidea), 1
ANDERSON, S. See D. E. Morse, 440
Annual reproductive cycle, of *Leptosynapta tenuis*, 68
Antennular chemosensitivity, in spiny lobster, 226
Aplidium multiplicatum, budding behavior, 453
Apodous holothurian, gonad development in, 68
Aporrhais, burrowing behavior, 463
ARMSTRONG, D. A., D. CHIPPENDALE, A. W. KNIGHT, AND J. E. COLT. Interaction of ionized and un-ionized ammonia on short-term survival and growth of prawn larvae, *Macrobrachium rosenbergii*, 15
Ascidians, budding behavior, 453
Asteroidea, digestive system, 1
Auxiliary heart, crustacean, anatomy, 497
Axenic culture of Cladocera, 47

B

BACKLUND, P. S. See G. C. Stephens, 335
Balanus glandula, reproduction, 262
BARKER, M. F. Descriptions of the larvae of *Stichaster australis* (Verrill) and *Coscinasterias calamaria* (Gray) (Echinodermata: Asteroidea) from New Zealand, obtained from laboratory culture, 32
Barnacles, reproduction, 262
Barometric pressure, influence on locomotor activity levels in *Rana pipiens*, 302
Behavior, adult egg-laying, of *Nassarius obsoletus*, 282
  budding, in ascidians, 453
  burrowing, of *Aporrhais*, 463
  descriptions of feeding, in *Oreaster reticulatus*, 1
Bioenergetics, of *Littorina irrorata*, 322
Biology, of *Carcinonemertes epialti*, 121
Biomphalaria glabrata, chemoreception and rheotaxis in, 361
Bivalve mantle, water permeability, 292
Bottlenose porpoise (*Tursiops truncatus*) group organization, 348
BOUSFIELD, J. D. Rheotaxis and chemoreception in the freshwater snail *Biomphalaria glabrata* (Say): estimation of the molecular weights of active factors, 361
BRADLEY, B. P. Increase in range of temperature tolerance by acclimation in the copepod *Eurytemora affinis*, 177
Brood production, in intertidal barnacles, 262
Budding experiments, on ascidians, 453
Burrowing behavior, of *Aporrhais*, 463

C

Callianassa sp., osmotic and ionic regulation in, 409
Calving seasonality, porpoise, 348
Carcinonemertes epialti, biology, 121
Cardiac stomach, in *Oreaster reticulatus*, 1
CARR, W. E. S. See Z. M. Fuzessery, 226
Chemoreception, in freshwater snails, molecular weight characteristics of attractants, 361
  in spiny lobster, 226
CHILDRESS, J. J. See T. J. Mickel, 138
CHIPPENDALE, D. See D. A. Armstrong, 15
Chondrichthyes, rectal gland, 508
Chromatophorotropic activity, of CNS extract from *Limulus*, 148
Chthamalus fissus, reproduction, 262
Circadian rhythm, in *Littorina irrorata* respiration, 322
Cladocera, culture in artifical media, 47
Coelenterates, prostaglandin synthetase, 440
COLT, J. E. See D. A. Armstrong, 15
CONKLIN, D. E. AND L. PROVASOLI. Biphasic particulate media for the culture of filter-feeders, 47
Constant acclimation temperature, effects of, in crabs, 188
Copepod, acclimation in, 177
Corals, prostaglandin synthetase in, 440
Corymorpha bigelowi, life cycle, 485
Coscinasterias calamaria, descriptions of larvae of, 32

Crustacea: Decapoda, mouthparts and setae of larval lobsters, 383
Crustacea, effect of pH on oxygen consumption, 138
Crustacean auxiliary heart, anatomy, 497
cardiac system, anatomy, 497
muscle, development in juvenile lobsters, 55
Crustaceans, ammonia toxicity in culture and maintenance of, 15
Crab respiration, 188
Cultivation, of *Hermissenda crassicornis*, 430
Culture, of filter-feeders in artificial media, 47
Cuthona nana, development and ecology of, 157
Cyclic acclimation temperature, effects of in crabs, 188

D

DAME, R. F. AND F. J. VERNBERG. The influence of constant and cyclic acclimation temperatures on the metabolic rates of *Panopeus herbstii* and *Uca pugilator*, 188
Decapod crustacean, larval development, 241
DEL PINO, E. M. AND A. A. HUMPHRIES, JR. Multiple nuclei during early oogenesis in *Flectonotus pygmaeus* and other marsupial frogs, 198
Dendraster excentricus, uptake of amino acids, 335
DENOUX, G. J. See T. C. Shirley, 322
Desiccation, during development of *Nassarius obsoletus*, 282
Development, of larvae of *Stichaster australis* and *Coscinasterias calamaria*, 32
of the mouthparts of larval lobsters, 383
of the nudibranch *Cuthona nana*, 157
Diet, of *Hermissenda crassicornis*, 430
Digestive system, of *Oreaster*, functional morphology, 1
Dive times, porpoise, 348
DOERING, G. N. AND E. E. PALINSCAR. Acid phosphatase during the life cycle of the nematode, *Panagrellus silusiae*, 374
DORES, R. M. See P. D. Pezalla, 148

E

Echinoderm, development of Asteriodea larvae, 32
gonad development in, 68
skeletal ontogeny and phylogeny, 79
Ecology, of the nudibranch *Cuthona nana*, 157
Egg capsules, *Nassarius obsoletus*, 282
Egg predation, on ovigerous crabs, by *Carcinonemertes*, 121
Elasmobranch osmoregulation, 508
Electron microscopy, of *Lineus ruber*, 213
Electrophysiology, of taurine sensitive receptors in spiny lobster antennules, 226
Epidermal absorption, by the rhynchocoelan, *Lineus ruber*, 213
Epifaunal activity, of *Aporrhais*, 463
Euphysora, life cycle, 485
Eurytemora affinis, acclimation in, 177

F

FACTOR, J. R. Morphology of the mouthparts of larval lobsters, *Homarus americanus* (Decapoda: Nephropidae), with special emphasis on their setae, 383
Fecundity, of *Hermissenda crassicornis*, 430
Feeding, in *Phoronopsis viridis*, 472
FELDER, D. L. Osmotic and ionic regulation in several Western Atlantic Callianassidae (Crustacea, Decapoda, Thalassinidea), 409
Ficopomatus, generic revision of, 96
Filter-feeders, particulate media for culture of, 47
FISHER, F. M., JR. AND J. A. OAKS. Evidence for a nonintestinal nutritional mechanism in the rhynchocoelan, *Lineus ruber*, 213
Flectonotus pygmaeus, multinucleate oogenesis, 198
Food-resources, of *Phoronopsis viridis*, 472
Freshwater stingrays, rectal gland, 508
Frogs, marsupial, multinucleate oogenesis, 198
FUZESSERY, Z. M., W. E. S. CARR, and B. W. ACHE. Antennular chemosensitivity in the spiny lobster, *Panulirus argus:* studies of taurine sensitive receptors, 226

G

Gametogenesis, in Holothuroidea, 68
Gastropod burrowing behavior, of *Aporrhais*, 463
Generic revision, of *Ficopomatus*, 96
Geographic range, of *Carcinonemertes epialti*, 121
GEORGI, T. A. See T. B. Thorson, 508
Gnathophausia ingens, effect of pH on oxygen consumption, 138
Gorgonians, prostaglandin synthetase, 440
GOVIND, C. K. AND F. LANG. Development of the dimorphic claw closer muscles of the lobster *Homarus americanus*. III. Transformation to dimorphic muscles in juveniles, 55
GOY, J. W. AND A. J. PROVENZANO, JR. Larval development of the rare burrowing mud shrimp *Naushonia crangonoides* Kingsley (Decapoda: Thalassinidea; Laomediidae), 241
GREEN, J. D. The annual reproductive cycle of an apodous holothurian, *Leptosynapta tenuis:* a bimodal breeding season, 68
Group composition, porpoise, 348
Growth inhibition in larval shrimp, 15

H

HALL, C. See R. D. Prusch, 292
HARRIGAN, J. F. AND D. L. ALKON. Larval rearing, metamorphosis, growth and reproduction of the eolid nudibranch *Hermissenda crassicornis* (Eschscholtz, 1831) (Gastropoda: Opisthobranchia), 430
Hemigrapsus oregonensis, host for *Carcinonemertes*, 121
HENDLER, G. Development of *Amphioplus abditus* (Verrill) (Echinodermata: Ophiuroidea). II. Description and discussion of ophiuroid skeletal ontogeny and homologies, 79
HERMAN, W. S. See P. D. Pezalla, 148
Hermissenda crassicornis, cultivation, 430
HINES, A. H. Reproduction in three species of intertidal barnacles from central California, 202
Histology of holothurian gonadial tissues, 68
Holothuroidea, gonadal development in, 68
Homarus, juvenile muscle development, 55
mouthparts and setae of larvae, 383
Horseshoe crab, central nervous system peptides, 148
Host specificity, of nemertean parasite, 121
HOVE, H. A. TEN AND J. C. A. WEERDENBURG. A generic revision of the brackish-water serpulid *Ficopomatus* Southern 1921 (Polychaeta: Serpulinae), including *Mercierella* Fauvel 1923, *Sphaeropomatus* Treadwell 1934, *Mercierellopsis* Rioja 1945 and *Neopomatus* Pillai 1960, 96
HUMPHRIES, A. A., JR. See E. M. del Pino, 198
Hydractinia echinata, in association with *Pagurus acadianus* and as prey for *Cuthona nana*, 157
Hydrocorals, prostaglandin synthetase, 440
Hydroid, life cycle, 485
Hydromedusae, of Corymorphidae, 485
Hyperglycemia, in *Orconectes*, caused by CNS extracts from *Limulus*, 148

I

Innervation, of crustacean auxiliary heart, 497
Intertidal development, *Nassarius obsoletus*, 282
Invertebrate hearts, anatomy, 497
reproduction, *Nassarius obsoletus*, 282
Ionic regulation, in Callianassidae, 409

K

KAWAMURA, K. See M. Nakauchi, 453
KAYNE, M. See D. E. Morse, 440
KNIGHT, A. W. See D. A. Armstrong, 15
KURIS, A. M. Life cycle, distribution and abundance of *Carcinonemertes epialti*, a nemertean egg predator of the shore crab *Hemigrapsus oregonensis*, in relation to host size, reproduction, and molt cycle, 121

L

Laboratory culture, of starfish larvae, 32
LANG, F. See C. K. Govind, 55
Laomediidae, larval development, 241
Larvae, *Homarus americanus*, mouthparts and setae, 383
Larval development, of *Naushonia*, 241
of *Stichaster australis* and *Coscinasterias calamaria*, 32
Leptosynapta tenuis, reproductive cycle of, 68
Life cycle, of *Corymorpha bigelowi*, 485
of *Hermissenda crassicornis*, 430
of *Panagrellus silusiae*, 374
Limulus, central nervous system peptides, 148
Lineus ruber, nutrition, 213
Littorina irrorata, respiration, 322
Lobster chelipeds, development in juveniles, 55
mouthparts and setae of larvae, 383
muscle, in juveniles, 55
Locomotor activity, in frog, 302
Lunar periodicity, in frog locomotor activity, 302
Lymphomyeloid tissue, in rectal gland of freshwater stingray, 508

M

Macrobrachium rosenbergii, effect of ionized and un-ionized ammonia on survival and growth, 15
Marsupial frogs, multinucleate oogenesis, 198
Media, particulate, for culture of filter-feeders, 47
Mercierella, synonymized with *Ficopomatus*, 96, 154
Mercierellopsis, synonymized with *Ficopomatus*, 96
Metamorphosis, in starfish, 32
of *Hermissenda crassicornis*, 430
of the nudibranch *Cuthona nana*, 157
MICKEL, T. J. AND J. J. CHILDRESS. The effect of pH on oxygen consumption and activity in the bathypelagic mysid *Gnathophausia ingens*, 138
Moina, particulate media for culture of, 47
Morphology, of the setae of larval lobsters, 383
MORSE, D. E., M. KAYNE, M. TIDYMAN, AND S. ANDERSON. Capacity for biosynthesis of prostaglandin-related compounds: distribution and properties of the rate-limiting enzyme in hydrocorals, gorgo-

nians, and other coelenterates of the Caribbean and Pacific, 440
Mouthparts, of larval lobsters, 383
Mud shrimp, larval development, 241
osmotic and ionic regulation in, 409
Multinucleate oogenesis, in marsupial frogs, 198
Muscle development, in juvenile lobsters, 55
Myeloid lobes, in rectal gland of freshwater stingray, 508
Mysid, bathypelagic, effect of pH on oxygen consumption, 138

N

NAKAUCHI, M. AND K. KAWAMURA. Additional experiments on the behavior of buds in the ascidian, *Aplidium multiplicatum*, 453
Nassarius obsoletus and *N. trivittatus*, rates of water loss from egg capsules of, 282
Naushonia, larval development 241
Nematode, acid phosphatase in life cycle, 374
Nemertean biology, in relation to parasite ecology, 121
Neopomatus, synonymized with *Ficopomatus*, 96
Neuroendocrinological studies, of *Limulus*, 148
Nudibranch, development and association with a hydroid and hermit crab, 157
Nutrition, in *Lineus ruber*, 213

O

OAKS, J. A. See F. M. Fisher, Jr., 213
Odontocete cetacean group organization, 348
Oogenesis, multinucleate, in marsupial frogs, 198
Ophiuroid, skeletal ontogeny and phylogeny, 79
Opisthobranch mollusc, cultivation, 430
Oreaster reticulatus, functional morphology of digestive system, 1
Osmoregulation, in Callianassidae, 409
of elasmobranchs, 508
Oxygen consumption, effect of pH on, in *Gnathophausia ingens*, 138
in crab, 188

P

Pagurus acadianus, associated with *Hydractinia* and *Cuthona nana*, 157
PALINCSAR, E. E. See G. N. Doering, 374
Panagrellus silusiae, acid phosphatase in life cycle of, 374
Panopeus herbstii, respiration, 188
Panulirus argus, taurine receptors, 226
Parasite ecology, of nemertean, 121
PECHENIK, J. A. Adaptations to intertidal development: studies on *Nassarius obsoletus*, 282
Peptides, from central nervous system of *Limulus*, 148
PERRON, F. E. Seasonal burrowing behavior and ecology of *Aporrhais occidentalis* (Gastropoda: Strombacea), 463
PEZALLA, P. D., R. M. DORES, AND W. S. HERMAN. Separation and partial purification of central nervous system peptides from *Limulus polyphemus* with hyperglycemic and chromatophorotropic activity in crustaceans, 148
pH, effects on oxygen consumption in a bathypelagic mysid, 138
Phoronids, food resources, feeding and spatial pattern in, 472
Phoronopsis viridis, food-resources, feeding, and spatial pattern in, 472
Physiological flexibility, in copepod, 177
Porpoise, group organization, 348
Potamotrygon, rectal gland, 508, 154
Predator-prey association, of a nudibranch and a hydroid, 157, 154
Prostaglandin synthetase, in corals, 440
PROVASOLI, L. See D. E. Conklin, 47
PROVENZANO, A. J., JR. See J. W. Goy, 241
PRUSCH, R. D. AND C. HALL. Diffusional water permeability in selected marine bivalves, 292
Pyloric stomach, in *Oreaster reticulatus*, 1

R

Rana pipiens, light-dark cycle, lunar periodicity, 302
Receptor specificity, in spiny lobster, 226
Rectal gland, of freshwater stingrays, 508
Rectomyeloid bodies, of rectal gland in freshwater stingrays, 508
REES, J. T. See C. Sassaman, 485
Reproduction, in barnacles, 262
in Holothuroidea, 68
in marsupial frogs, 198
of *Nassarius obsoletus*, 282
Respiration, crab, 188
in *Littorina irrorata*, 322
in mysid, effects of pH, 138
Rheotaxis, in *Biomphalaria glabrata*, 361
Rhynchocoelan nutrition, 213
RIVEST, B. R. Development of the eolid nudibranch *Cuthona nana* (Alder and Hancock, 1842), and its relationship with a hydroid and hermit crab, 157
ROBERTSON, D. R. The light-dark cycle and a nonlinear analysis of lunar perturbations and barometric pressure associated with the annual locomotor activity of the frog, *Rana pipiens*, 302
RONAN, T. E., JR. Food-resources and the influence of spatial pattern on feeding in the phoronid *Phoronopsis viridis*, 472

S

Salinity tolerance, of callianassid mud shrimps, 409
Sand dollars, uptake of amino acids, 335
Sarcomeres, short and long, in lobster chelipeds, 55
SASSAMAN, C. AND J. T. REES. The life cycle of *Corymorpha* (= *Euphysora*) *bigelowi* (Maas, 1905) and its significance in the systematics of corymorphid hydromedusae, 485
Seasonal acclimatization, in *Littorina irrorata*, 322
Sea-star, *Oreaster reticulatus*, digestive system, 1
Serpulidae, distribution of brackish-water species, 96
Setae, on the mouthparts of larval lobsters, 383
Sexual differences, in temperature tolerance, in a copepod, 177
SHIRLEY, T. C., G. J. DENOUX, AND W. B. STICKLE. Seasonal respiration in the marsh periwinkle, *Littorina irrorata*, 322
Shrimp larvae, effect of ionized and un-ionized ammonia on survival and growth, 15
Skeletal development, in *Amphioplus abditus*, 79
Snail, freshwater, chemoreception and rheotaxis in, 361
  metabolism, *Littorina irrorata*, 322
Spatial pattern, influence on feeding in *Phoronopsis viridis*, 472
Specificity of taurine receptors, in spiny lobster, 226
Sphaeropomatus, synonymized with *Ficopomatus*, 96
Spiny lobster, taurine receptors, 226
Starfish larval development, 32
STEINACKER, A. The anatomy of the decapod crustacean auxiliary heart, 497
STEPHENS, G. C., M. J. VOLK, S. H. WRIGHT, AND P. S. BACKLUND. Transepidermal accumulation of naturally occurring amino acids in the sand dollar, *Dendraster excentricus*, 335
Stichaster australis, descriptions of larvae, 32
STICKLE, W. B. See T. C. Shirley, 322
Stingrays, rectal gland, 508
Surfacing associations, porpoise, 348
Synthetase, prostaglandin, in corals, 440
Systematics, of corymorphid hydromedusae, 485

T

Taurine receptors, in spiny lobster, 226
Temperature tolerance, in copepod, 177
Tetraclita squamosa, reproduction, 262
Thalassinidea, larval development, 241
THORSON, T. B., R. M. WOTTON, AND T. A. GEORGI. Rectal gland of freshwater stingrays, *Potamotrygon* spp. (Chondrichthyes: Potamotrygonidae), 508
TIDYMAN, M. See D. E. Morse, 440
Tiedemann's pouch, in *Oreaster reticulatus*, 1
Toxicity, ammonia, to larval shrimp, 15
Transepidermal transport of amino acids, in *Dendraster excentricus*, 335
Transport sites, for organic nutrients, in the epidermis of a rhynchocoelan, 213
Tursiops truncatus, group organization, 348

U

Uca pugilator, respiration, 188
Ultrastructure, of *Lineus ruber*, 213

V

Veliger, of *Hermissenda crassicornis*, 430
VERNBERG, F. J. See R. F. Dame, 188
Vertical zonation, bivalve, 292
VOLK, M. J. See G. C. Stephens, 335

W

WRIGHT, S. H. See G. C. Stephens, 335
WOTTON, R. M. See T. B. Thorson, 508
WEERDENBURG, J. C. A. See H. A. ten Hove, 96
Water permeability, bivalve, 292
WURSIG, B. Occurrence and group organization of Atlantic bottlenose porpoises (*Tursiops truncatus*) in an Argentine Bay, 348